



Water Eye-5H



▣ Specification

- ▶ Using Depth : 100 Meter
- ▶ 1/4" Interline Transfer CCD
- ▶ 410K Effective Pixels / 560 TV Lines
- ▶ Super White LED 8 PCs
- ▶ 3.9 - 46mm 12x Zoom Lens
- ▶ Stainless steel (STS 316L)
- ▶ Vacuum & waterproof
- ▶ 100% custom-made product
- ▶ IP68 Certification(Waterproof / Dustproof)

▣ Purpose

- ▶ Filtration plant, Fish farms, Lifesaving
- ▶ Water supply and drainage exploration
- ▶ Shipping, Underwater construction
- ▶ Underwater exploration, Oceanology

MODEL	Water Eye-5H
Image Sensor	1/4" Interline Transfer CCD
Effective Pixels	410K
Horizontal Resolution	560 TV Lines
TV SYSTEM	NTSC, PAL
Self-Illumination	Built-in Power White LED 8 pcs
Lens	3.9 - 46mm 12x Zoom Lens
Cable Material	Urethane coated Coaxial cable, basically 50m(option:100m)
Operating Temperature	-30°C ~ 60°C
Material	Stainless steel (STS 316L)
Min. Illumination	0.02 LUX
Visible Range	Differs, depending on the turbidity
Light Lifetime	Max 50,000 Hours
Remote Control	RS-485
Power consumption	17W
Power	DC 24V / 2A
Dimension	Ø136 x L196mm(Including Vacuum nozzle)
Weight	9.6 Kg

※ Option : Image Kit, Bright controller ※ Patent registration

