

## 「Direct Base YS RT」 「Direct Base YS」

INON INC. is pleased to announce official release of new YS mount adapters for simple and compact set-up of LED flashlight/strobe/GoPro® accessory in combination with 「Single Light Holder」/「Z Joint」.

・「Direct Base YS RT」

--Release date: September 16th, 2015

--Retail in Japan : JPY1,800-

--JAN code : 456212143 807 1

・「Direct Base YS」

--Release date: September 16th, 2015

--Retail in Japan : JPY800-

--JAN code : 456212143 806 4



「Direct Base YS RT」



「Direct Base YS」

## ■ Product features ■

Both 「Direct Base YS RT」 and 「Direct Base YS」 are equipped with 「YS Adapter」 compatible arm mount for compact set-up of strobe, LED flashlight and SD Mount Cage etc. via 「Z Joint」/「Single Light Holder」.

### ●「Direct Base YS RT」・・・【Rotation Type】

Broad compatibility including new 「Weight Plate」 series. The YS Mount rotates 360 degrees to offer flexible aiming of combined lighting device or GoPro® camera.

### ●「Direct Base YS」・・・【Fixed Type】

Designed to use specifically with 「Weight Plate」 series to support fixed aiming of combined lighting device or GoPro® camera and available at budget price comparing to 「Direct Base YS RT」



「Direct Base YS RT」+「SD Mount Cage HERO3/3+」(left)

「Direct Base YS RT」+「D Holder」(center left)

「Direct Base YS RT」+「Multi Ball Arm S」(center right)

「Direct Base YS」+「Weight Plate (Screw Type)」(right)



Upper left 「Direct Base YS RT」 attached on 「SD Mount Cage 3/3+/4」 to hold 「LF2700-W」 via 「Single Light Holder LF」

Upper right 「Direct Base YS RT」 attached on 「Grip Base M1」 to hold 「S-2000」 via 「Z Joint」

Lower left 「Direct Base YS RT」 attached on 「Stick Arm S」 via 「M6 Joint」 to hold 「LF2700-W」 via 「Single Light Holder LF」

Lower right 「Direct Base YS」 attached on 「Weight Plate (Screw Type)」 to hold 「LF2700-W」 via 「Single Light Holder LF」

## ■ Compatible product to 【Mount】 ■

### ● Direct Base YS RT

- Without any other accessory
  - 「Weight Plate (Screw Type)」/ 「Weight Plate (Velcro Type)」,
  - 「SD Mount Cage HERO3/3+」/「SD Mount Cage HERO3/3+/4」,
  - 「Grip Base D4」/「Grip Base M1」/「Grip Base M1(12-24 Tripod Screw Set)」,
  - 「D Holder」/「D Holder Extension Bar」, 「Tripod Adapter」
- Via optional「M6 Joint」
  - 「Stick Arm XS/SS/S/M/L」/「Multi Ball Arm S/ML/L/LL/XL」
- Via optional 「M6 Plate Direct Base III」
  - “X-2 series” housing/「X1-Z/LZ/NZ」 housing,
  - 「Holder II」/「Grip Bar III Set」/「Holder II Grip Set」,
  - 「Holder Base」/「Grip Bar Set」/「Grip Bar II Set」,
  - 「Grip Base DIII」/「Grip Base DII」,
  - Other brand housing/arm system(M6) (\*1) (\*3)
- Via optional 「M5 Plate Direct Base III」
  - Other brand housing/arm system (M5) (\*2) (\*3)

### ● Direct Base YS

- 「Weight Plate (Screw Type)」
- 「Weight Plate (Velcro Type)」

## ■ Compatible product to 【Hold】 ■

### ● Direct Base YS RT/Direct Base YS

- 「Single Light Holder LE」 + INON “LED flashlight”
- 「Single Light Holder LF」 + INON “LED flashlight”
- 「Z Joint」 + INON “strobe”
- 「Z Joint」 + 「Double Light Holder LE」/ 「Quad Light Holder LE」+ INON “LED flashlight”
- 「Z Joint」 + 「Strobe Light Holder LE」/ 「Strobe Light Holder LF」+ INON “strobe”/“LED flashlight”
- 「Z Joint」 + 「SD Mount Cage HERO3/3+」/「SD Mount Cage HERO3/3+/4」

(\*1) Require two M6 screw holes with 8mm or more depth and center-to-center distance between 13mm and 28mm.

(\*2) Require two M5 screw holes with 6mm or more depth and center-to-center distance between 24mm and 28mm.

(\*3) INON Inc. has not confirmed exact compatibility with specific product. Make sure to check compatibility of the other brands' product and it does not interfere with combined product by yourself.

September 15th, 2015

INON Inc.

\*Press release information is as of September 15th, 2015 and subject to change without prior notice.

**INON**

*The home of ultimate underwater imaging gear*

[www.inon.jp](http://www.inon.jp)