

Lens Port for Panasonic DSLR

INON INC. releases lens ports and magnet ring sets for INON 『X-2 for GF1』.

・「Dome Port 115」

--Release date : August 11, 2010

--Retail in Japan : JPY 36,000

--JAN code : 456212143 594 0

・「Pancake Port」

--Release date : August 11, 2010

--Retail in Japan : JPY 20,000

--JAN code : 456212143 595 7

・「MRS Base Port (with MRS Control Ring)」

--Release date : August 11, 2010

--Retail in Japan : JPY 27,000-

--JAN code : 456212143 596 4

・「MRS Base Port (without MRS Control Ring)」

--Release date : August 11, 2010

--Retail in Japan : JPY 22,000-

--JAN code : 456212143 597 1

・「Front Port Macro」

--Release date : August 11, 2010

--Retail in Japan : JPY 22,000-

--JAN code : 456212143 598 8

・「Front Port Wide」

--Release date : August 11, 2010

--Retail in Japan : JPY 28,000-

--JAN code : 456212143 599 5

・「Front Port Dome 115」

--Release date : August 11, 2010

--Retail in Japan : JPY 35,000-

--JAN code : 456212143 600 8

・「MRS Magnet Ring DG45 Set」

--Release date : August 11, 2010

--Retail in Japan : JPY 17,700-

--JAN code : 456212143 601 5

・「MRS Magnet Ring DG45 Adapter」

--Release date : August 11, 2010

--Retail in Japan : JPY 3,700-

--JAN code : 456212143 607 7

・「MRS Magnet Ring G14-45 Set」

--Release date : August 11, 2010

--Retail in Japan : JPY 17,700-

--JAN code : 456212143 602 2

・「MRS Magnet Ring G14-45 Adapter」

--Release date : August 11, 2010

--Retail in Japan : JPY 3,700-

--JAN code : 456212143 608 4

・「MRS Magnet Ring G7-14 Set」

--Release date : August 11, 2010

--Retail in Japan : JPY 17,700-

--JAN code : 456212143 603 9

・「MRS Magnet Ring G7-14 Adapter」

--Release date : August 11, 2010

--Retail in Japan : JPY 3,700-

--JAN code : 456212143 609 1



Dome Port 115



Pancake Port



MRS Base Port (with MRS Control Ring)



MRS Base Port (without MRS Control Ring)



Front Port Macro



Front Port Wide



Front Port Dome 115



MRS Magnet Ring DG45 Set



MRS Magnet Ring DG45 Adapter



MRS Magnet Ring G14-45 Set



MRS Magnet Ring G14-45 Adapter



MRS Magnet Ring G7-14 Set



MRS Magnet Ring G7-14 Adapter

■ 「X-2 for GF1」 compatible port ■

Compatible lens ports support five different lenses; 「8mm/F3.5 Fisheye」, 「20mm/F1.7 Pancake」, 「45mm/F2.8 Macro」, 「14-45mm/F3.5-F5.6 Zoom」 and 「7-14mm/F4 Zoom」. All lens ports use optical lens with multi coating to take full advantage of optical performance of LUMIX/LEICA lenses.

Lens ports for 「45mm/F2.8 Macro」, 「14-45mm/F3.5-F5.6 Zoom」 and 「7-14mm/F4 Zoom」 consist of two components; a universal base port and specific front port for each different lens model where only optional front port is required to use other lens model.

Zooming operation and 45mm/F2.8 Macro lens focusing operation uses INON patented 「MRS (Magnetic Rotary System) Port」 using magnetic attraction to turn lens barrel with light torque as like controlling a lens on land.

■ 「Dome Port 115」 ■

A Dome Port using compact dome glass with 115mm diameter which is ideal for compact 「Panasonic LUMIX G FISHEYE 8mm/F3.5」 lens. Multicoated optical glass suppresses flare/ghost. The protector shades unnecessary light to get clear image in addition to prevent accidental damage on the lens surface. Auto focus (AF) only.

■ 「Pancake Port」 ■

A compact port for 「Panasonic LUMIX G20mm/F1.7 ASPH」 lens. The port edge has M67 screw mount which directly accepts 「UCL-330」 「UCL-165M67」 close-up lens. Auto focus (AF) only.

The 「Panasonic LEICA DG MACRO-ELMARIT 45mm/F2.8 ASPH./MEGA O.I.S.」 lens is supported as well in combination with optional 「EXT. Ring 36」 (Auto Focus only).

■ **「MRS Base Port」** ■

A Base Port is compatible with three different lenses with interchangeable Front Port. This construction allows you to use the Base Port for different lens only buying optional Front Port, and helps to save luggage space when travelling.

Focus operation of a macro lens and zoom operation of a zoom lens uses INON patented "MRS system (patented in Japan and U.S.)" rotating a lens barrel by magnetic attraction without any mechanical contact between a lens and lens port providing stress-free lens operation as like controlling a lens on land.

■ **「MRS Base Port (without MRS Control Ring)」** ■

A Base Port without MRS Control Ring for 「Panasonic LEICA DG MACRO-ELMARIT 45mm/F2.8 ASPH./MEGA O.I.S.」 lens to use auto focus only in combination with 「Front Port Macro」. Upgradable to 「MRS Base Port (with MRS Control Ring)」 with optional 「MRS Control Ring (60/60II/100UII/100UIII/Olympus50)」.

■ **「Front Port Macro」** ■

A Front Port to joint on the edge of the 「MRS Base Port」 or 「MRS Base Port (without MRS Control Ring)」 to use for 「Panasonic LEICA DG MACRO-ELMARIT 45mm/F2.8 ASPH./MEGA O.I.S.」 lens.

Directly holds INON 「UCL-330」 or 「UCL-165M67」 close-up lens.

Optional 「MRS Magnet Ring DG45 Set」 is required for manual focusing.

■ **「Front Port Wide」** ■

A Front Port to joint on the edge of the 「MRS Base Port」 for the 「Panasonic LUMIX G VARIO 14-45mm / F3.5-5.6 ASPH./MEGA O.I.S.」 lens.

Optional 「MRS Magnet Ring G14-45 Set」 is necessary for zoom operation. Auto Focus (AF) only.

■ **「Front Port Dome 115」** ■

A Front Port to joint on the edge of the 「MRS Base Port」 for the 「Panasonic LUMIX G VARIO 7-14mm/F4.0 ASPH.」 zoom lens.

The protector shades unnecessary light which could cause flare/ghost to get clear image in addition to prevent accidental damage on the lens surface.

Optional 「Magnet Ring G7-14 Set」 is necessary for zoom operation. Auto Focus (AF) only.

(*)

When using 「Panasonic LUMIX G VARIO 7-14mm/F4.0 ASPH.」 lens, first load a camera in a housing then attach the lens and lens port

The camera equipped with the lens can not be taken in and out from the housing.

■ **「MRS Magnet Ring DG45 Set」** ■

The set of 「Magnet Ring」 and 「MRS Magnet Ring DG45 Adapter」 to attach on the 「Panasonic LEICA DG MACRO-ELMARIT 45mm/F2.8 ASPH./MEGA O.I.S.」 lens for manual focus operation.

The Magnet Ring is also usable for other MRS Magnet Ring Adapters to support other lenses only with optional MRS Magnet Ring Adapter.

■ **「MRS Magnet Ring G14-45 Set」** ■

The set of 「Magnet Ring」 and 「MRS Magnet Ring G14-45 Adapter」 to attach on the 「Panasonic LUMIX G VARIO 14-45mm / F3.5-5.6 ASPH./MEGA O.I.S.」 zoom lens for zoom operation.

The Magnet Ring is also usable for other MRS Magnet Ring Adapters to support other lenses only with optional MRS Magnet Ring Adapter

■ **「MRS Magnet Ring G7-14 Set」** ■

The set of 「Magnet Ring」 and 「MRS Magnet Ring G7-14 Adapter」 to attach on the 「Panasonic LUMIX G VARIO 7-14mm/F4.0 ASPH.」 zoom lens for zoom operation.

The Magnet Ring is also usable for other MRS Magnet Ring Adapters to support other lenses only with optional MRS Magnet Ring Adapter

● Relative information

- ・「X-2 for GF1 housing」 lens compatibility
http://www.inon.jp/products/housing/x2_gf1/lens.html
- ・INON Port 「EXT. Ring」
<http://www.inon.jp/products/port-gear/ext-ring.html>
- ・「X-2 for GF1 System Chart」
http://www.inon.jp/userdata/DL_PDF/x2gf1systemchart.pdf

*Press release information is as of August 11th, 2010 and subject to change without prior notice.

INON

The home of ultimate underwater imaging gear

www.inon.jp